

# Aeotec Button user guide

Modified on: Thu, 19 Nov, 2020 at 5:49 PM

---




Aeotec Button was developed to control devices connected to [Aeotec Smart Home Hub](#) through the use of a physical and wireless button. It is powered by Aeotec Zigbee technology.

Aeotec Button must be used with an Aeotec Smart Home Hub in order to work.

---

## Familiarize yourself with Aeotec Button



### Package contents:

1. Aeotec button
2. User manual
3. 1x CR2 battery

### Important safety information.

- Read, keep, and follow these instructions. Heed all warnings.
- Clean only with a dry cloth.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Only use attachments and accessories specified by the Manufacturer

---

## Connect the Aeotec Button

### Steps in SmartThings Connect.

1. From the Home screen, tap the **Plus (+) icon** and select **Device**.
2. Select **Aeotec** and **Remote/Button**.
3. Tap **Start**.
4. Choose a **Hub** for the device.
5. Choose a **Room** for the device and tap **Next**.
6. While the Hub searches:
  - Pull the **“Remove when Connecting”** tab found in the sensor.
  - **Scan the code** on the back of the device.

---

## Programming Aeotec Button

Aeotec Button supports 3 separate button presses that can be used in an Automation in your Aeotec Smart Home hub. You can program the Aeotec button either from

- (1) Aeotec Button interface,
- (2) Custom Automation,
- (3) or SmartApps such as WebCoRE.

This section will go over how to program (1) Aeotec Button interface.

### Steps in Smarthings Connect.

1. From the Home screen, scroll down to your **Aeotec Button and tap its widget.**
2. Look for the 3 button press options and tap on any of them to program them.
  - Single Press (Pressed)
  - Double Pressed
  - Held
3. Under "Then", tap on **Plus (+) icon.**
4. Select one of the 2 options
  - **Control Devices**
    1. Select all devices you want to control
    2. Tap **Next**
    3. Tap on each device that you want to change the reaction.
  - **Run Scenes**
    1. Select all scenes you want this button press to run.
5. Tap **Done**
6. Test your button control by pressing the Aeotec Button.

---

## Factory reset your Aeotec Button

Aeotec button can be factory reset at any time if you come across any issues, or if you need to re-pair Aeotec Button to another hub.

### Steps in Smarthings Connect.

1. **Press and Hold the recessed connect button** for five (5) seconds.
  2. **Release the button** when the LED starts blinking red.
  3. The LED will blink red and green while attempting to connect.
  4. Use the Smarthings app and steps detailed in "Connect a Aeotec Button" above.
-

# Aeotec Button technical specifications

Modified on: Sun, 27 Jun, 2021 at 4:18 PM

---

This page lists [Aeotec](#) product technical specifications for Aeotec Button.

**Name:** Aeotec Button

**Model number:**

**EU:** GP-AEOBTNEU

**US:** GP-AEOBTNUS

**AU:** GP-AEOBTNAU

**EAN:** 4251295701677

**UPC:** 810667025458

**Hardware required:** Aeotec Smart Home Hub

**Software required:** SmartThings (iOS or Android)

**Radio protocol:** Zigbee

**Power supply:** No

**Battery charger input:** No

**Battery type:** 1 \* CR2

**Radio frequency:** 2.4 GHz

**Indoor/Outdoor use:** Indoor only

**Operating distance:**

50 - 100 ft

15.2 - 40 m

**Dimension of Button:**

1.61 x 0.58 x 1.61 in

41 x 15 x 41 mm

**Weight:**

22.7 g

0.8 oz